

If Water Runs Through It....We, Do It

CONDUIT ENTERPRISES

MANUFACTURERS
TRADERS
&
STOKIEST

ABOUT US

Conduit Enterprises are the Manufacturers, Traders & Stockiest of Pipes, Fittings, Valves and other **Accessories. Conduit Enterprises** carrying in its heart the goal of Becoming the widest range of C.I., D.I., H.D.P.E, G.I., M.S. Pipes & Fittings and Valves Available to every corporate. This is how the idea of **Conduit Enterprises germinated in the** First place, opening the doors of excellence to a wider denomination. **Conduit Enterprises is well** experienced in the industry of C.I., D.I., H.D.P.E, G.I., M.S. Pipes & Fittings and Valves. We're now aiming to rule the market with our wide range of products. With support from our trusted vendors, we can go the distance and make more happen

MISSION

"Aiming to rule the market with our wide range of products and with the four elements"

PROXIMITY, INNOVATION, EXCELLENCE, RESPONSIBILITY

VISION

To make Customer, not a Sales

ABOUT PRODUCTS

Our products find application in Fluid Handling, Transportation and Engineering setups, all types of civil water supply and Underground drainage works, oil refineries, sugar mills, Chemical processing plants, pharmaceutical factories, cement Industry, and many more. All the specified products are available in different sizes, Dimensions, and functional requirements in accordance With Bureau of Indian Standards (BIS or IS Code) Guidelines ensuring safety of use, Prolonged life-span, and strength while exhibiting Properties like corrosion resistance, dimensional precision, High tolerance, leak proofing, and efficient work ability.

DI/ CI PIPES

- DUCTILE IRON SPUN (SS) PIPE
- DUCTILE IRON DOUBLE FLANGED (D/F) PIPE
- DUCTILE IRON PUDDLE PIPE
- DUCTILE IRON PLAIN END BARRELPIPE
- CAST IRON DOUBLE FLANGED (D/F) PIPE

CAST IRON D/F SLOTTED PIPE

- CAST IRON PUDDLE PIPE
- CAST IRON SPUN PIPE

DI/ CI FITTINGS

- DOUBLE FLANGE (D/F) BEND
- DOUBLE SOCKET (D/S) BEND
- M/J BEND
- DUCKFOOT BEND
- DOUBLE FANGE(D/F) TAPER
- DOUBLE SOCKET (D/S) TAPER
- M/J TAPER
- ALL FLANGE TEE
- FLANGE WITH SOCKET HYDRANT TEE
- ALL SOCKET TEE
- SOCKET WITH FLANGE TEE
- M/J ALL SOCKET TEE
- M/J SOCKET HYDRAT TEE
- FLANGE SOCKET
- FLANGE SPIGOT

- BELLMOUTH
- CROSS
- M/J ADAPTORE
- M/J COUPLING
- M/J END CAP
- D-JOINT (DETACHABLE)
- LEACK REPAIR CLAMP (LRC)
- DISMANTLAING JOINT
- EXPANSION JOINT
- BLANK FLANGE
- SPLIT COLLAR
- PLATES
- MS FLANGES
- MS PATCH CLAMP

CHECK VALVE

STRAINERS

SLUICE GATE

GLOBE VALVE

DI / CI VALVES

- SLUICE VALVE
- NON-RETURN VALVE(NRV)/ CHECK VALVE
- AIR VALVE
- BUTTERFLY VALVE
- FOOT VALVE
- **SURFACE BOX**
- *** FIRE HYDRANT STAND POST SET**
- *** MANHOLES & FRAMES**
- **PIG IRON**
- *** WATER METERS AND WATER METER BOX**
- *** NUT, BOLTS AND WASHERS**
- *** RUBBER GASKETS AND TYTON RINGS**
- *** HDPE PIPE FITTINGS**
- PVC PIPES FITTINGS AND WATER TANKS
- **SALVANIZED IRON (G.I.) PIPE FITTINGS**
- MILD STEEL(M.S.) PIPES FITTINGS
- * ANGLE, CHANNEL & TMT BAR
- * SCARF FOLDINGS

PRODUCTS

WE

OFFER

CAST IRON

<u>PIPE</u> RANGE Cast Iron Double Flange Pipe as per IS-7181 & 1537, Available in all sizes from 80 mm to 1500 mm.





Cast Iron Puddle Pipe as per IS-7181 & 1537, Available in all sizes from 80 mm to 1500 mm.

Cast Iron Slotted Pipe, built to custom order.





Cast Iron Spun pipes with socket & spigot ends, ISI Marked confirming to IS-1536, Available in Class LA, A and B.

<u>Ductile</u> <u>Iron</u>

<u>Pipes</u> <u>RANGE</u>

Ductile Iron Spun pipes with socket & spigot ends, ISI Marked confirming to IS-8329, Available in K7 and K9.





Ductile Iron Double Flanged pipes, Screwed & welded Flanges ISI Marked confirming to IS-8329, Available in K9, length can be customized as per requirements.

CAST <u>IRON</u>

FITTINGS

RANGE

Cast Iron Fittings with Flange, Spigot, Socket End and Mechanical Joints, as per IS-1538 & 13382. Sizes we offer 80 mm to 1200 mm.

- **DOUBLE SOCKET BEND**
- > DOUBLE FLANGE BEND
- M.J. BEND
- > DUCKFOOT BEND
- > DOUBLE SOCKET TAPER/ REDUCER
- > DOUBLE FLANGE TAPER/REDUCER
- ➤ M.J. TAPER /REDUCER
- > ALL SOCKET TEE
- ALL FLANGE TEE

- M.J. TEE
- **HYDRANT TEE**
- **FLANGE SOCKET**
- **FLANGE SPIGOT**
- M.J. COLLAR
- M.J. END CAP
- > ALL FLANGE CROSS
- > ALL SOCKET CROSS
- BLANK FLANGE































<u>Ductile Iron Fittings with Flange, Spigot, Socket End ISI Marked,</u> <u>Confirming IS-9523.Sizes we offer 80 mm to 1200 mm.</u>

- > DOUBLE SOCKET BEND
- > DOUBLE FLANGE BEND
- > DUCKFOOT BEND
- > DOUBLE SOCKET TAPER/ REDUCER
- > DOUBLE FLANGE TAPER/REDUCER
- > ALL SOCKET TEE
- > ALL FLANGE TEE

- > HYDRANT TEE
- > FLANGE SOCKET
- > FLANGE SPIGOT
- > END CAP
- > ALL FLANGE CROSS
- > ALL SOCKET CROSS
- > BLANK FLANGE

<u>Ductile</u> <u>Iron</u>

FITTINGS

RANGE




































OTHER

FITTINGS

RANGE



Cast Iron & Ductile Iron
Mechanical Joint (M.J.) Flange
Adaptor, Sizes 80 mm to 1200 mm

Cast Iron & Ductile Iron Mechanical Joint (M.J.) Coupling, Sizes 80 mm to 1200 mm





Cast Iron & Ductile Iron Detachable Joint (D.Joint), Class-5, 10, 15, 20, 25. Sizes 80 mm to 1200 mm

Cast Iron & Ductile Iron Expansion
Joint





Cast Iron & Ductile Iron Dismantling Joint

OTHER

FITTINGS

RANGE



Cast Iron Socket Leak Repair Clamp (LRC), 80 MM to 1000 MM

Cast Iron Surface Box





Cast Iron Fire Hydrant Stand Post Set

C.I. / D.I.

INDUSTRIAL

VALVE

RANGE



Cast Iron Ductile Iron Sluice Valve with Stainless Steel Stem & Gun Metal Working parts, ISI Marked Confirming to IS 14846, Having Pressure Rating PN of 1.0 / 1.6 Used to start & stop flow of water through operation of gates

Cast Iron Ductile Iron Butterfly Valve confirming to IS 13095, Pressure Rating PN of 1.0 Used to regulate flow of fluid by opening & closing of the metal disc





Cast Iron Ductile Iron Reflux Valve (NRV) confirming to IS 5312, Pressure Rating PN of 1 & 1.6

Ensure flow of water in one direction only

Cast Iron Ductile Iron Foot Valve confirming to IS 4038 with single- or double-disc Check Valve used in Pumps to ensure no backflow of water.



C.I. / D.I.

INDUSTRIAL

VALVE

RANGE



Cast Iron Ductile Flange End Double Air Valve as per IS 14845.

High

DensityPolyethylene

H.D.P.E
Pipes
Fittings

RANGE

High Density Polyethylene (HDPE) Pipes ISI Marked, Confirming IS-4984/2016 and IS-14333. Sizes we offer 16 mm to 650 mm

H.D.P.E. PIPES FOR WATER 1S- 4984/2016


- ➤ Material Grade-PE-63, PE-80, PE-100.
- ➤ Material Pressure-PN-6, PN-8, PN-10.

H.D.P.E. PIPES FOR SEWERAGE IS- 14333

- ➤ Material Grade-PE-63, PE-80, PE-100.
- Material Pressure-PN-6, PN-8, PN-10.



High Density Polyethylene (HDPE) Fittings ISI Marked



Galvanized Iron (G.I.) Pipes of all size length, quality and class is available




STEEL PIPES

RANGE



Mild Steel (M.S.) Pipes of all size length, quality and class is avaiable

ANGLES, CHANNELS AND PATTI of all size length and is available





TMT Bars of all size and length avaiable

OTHER

PRODUCTS

AND

ACCESSORIES

RANGE



SCARF FOLDINGS

NUT BOLTS AND WASHERS





RUBBER GASKETS AND TYTON of all size and quality available

WATER METERS






WATER METERS BOX

All the above specified products are available in different sizes, Dimensions, and functional requirements in accordance With Bureau of Indian Standards (BIS or IS Code) Guidelines ensuring safety of use, Prolonged life-span, and strength while exhibiting Properties like corrosion resistance, dimensional precision, High tolerance, leak proofing, and efficient work ability.

AREAS OF APPLICATION













Learning and Surpassing are our enterprises spirit, Reputation is the guarantee for our survival Quality is our persistent

We are eagerly waiting for your feedback, enquire and your interest in our Offerings. Thanks for your precious time

Kindly feel free to contact us



Warm Regards,

CONDUIT ENTERPRISES

Aman Agarwal.

(M) +91-8697000689

(E) info@conduitenterprises.in / enterprisesconduit@gmail.com

FOLLOW US











